SPECIMEN LABEL

Rev May 20, 2021

# CeraMax®



Group 48 Fungicide

### Seed treatment for the protection against Fusarium and Rhizoctonia on soybean, corn, and wheat seeds

#### **ACTIVE INGREDIENT:**

Natamycin	13.459%
OTHER INGREDIENTS:	86.541%
TOTAL	100.000%
Contains 1.25 lbs Natamycin per gallon (150 grams Natamycin per Liter)	

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID				
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If on skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 (NPIC Web site: www.npic.orst.edu). For emergencies, call the poison control center 1-800-222-1222, 24 hours a day, 7 days a week.

#### EPA Reg. No. 92311-2

EPA Est. No. 70815-GA-001
EPA Est. No. 70815-GA-003
EPA Est. No. 39578-TX-001
EPA Est. No. 92311-NLD-001

Batch Code:

Net Contents: 2.5 gallons



Ceradis B.V.

Agro Business Park 10 6708 PW Wageningen The Netherlands www.ceradis.com

Rev May 20, 2021 Page 1

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION.** Harmful if swallowed, absorbed through skin, or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- · Waterproof gloves
- · Protective eyewear
- · Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are provided, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS**

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- · Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

[Container sizes less than 5 gallons] For terrestrial uses: DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. DO NOT contaminate water when disposing of equipment washwater or rinsate.

[Container sizes equal to or greater than 5 gallons] DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use only in commercial seed treatment equipment. Not for use in hopper box, planter box, slurry box, or other onfarm seed treatment applications.

#### **Product Description**

CeraMax is highly active against true fungi. CeraMax contains the biological molecule, Natamycin. Natamycin is a natural fermentation product of soil bacteria as a defense mechanism against fungi. The mode of action of Natamycin is unique and does not affect any other type of microorganism. CeraMax is a stable liquid fungicide seed treatment that provides protection against all Fusarium and Rhizoctonia diseases. On soybean seeds, it provides protection against Fusarium spp. such as Fusarium virguliforme, the causal agent of Sudden Death Syndrome.

#### **Application Information**

#### Use Information

Apply CeraMax as a water-based slurry either alone or with registered seed treatments using standard slurry or misttype seed treatment application equipment.

CeraMax may be used in combination with other registered seed treatment products. Check for compatibility with other seed treatment products before use.

Dilute with sufficient amount of water to achieve uniform application. Use high quality, properly cleaned seed.

All seed treated commercially with this product must be adequately dyed with a suitable color to prevent accidental use as food for humans or feed for animals. Use an EPA- approved dye or colorant that imparts an unnatural color to the seed. Any dye or colorant added to treated seed must be cleared for use pursuant to 40 CFR 153.155.

Rev May 20, 2021 Page 2

#### Mixing Instructions

Add 1/2 to 2/3 of the required water to the treatment slurry tank followed by any accompanying seed treatment products and CeraMax (see application rate table below). The order of product addition is dependent on the accompanying seed treatment products and application equipment used. Allow each slurry component to disperse completely prior to the next addition until a uniform suspension is obtained. After all slurry components have been added and dispersed completely, add the remaining 1/2 to 1/3 of required water for proper slurry volume and mix until uniform.

Maintain adequate agitation until treatment slurry is applied. Ensure that seed is dry prior to packaging.

#### Application Rate

Crop	Diseases	Product Use Rate (mL/kg seed)	Product Use Rate (fl. oz. per 100 lbs. seed)
Soybean	Fusarium spp., such as Fusarium virguliforme	0.8 - 1.6	1.23 - 2.46
	Rhizoctonia spp.	0.8	1.23
Corn	Fusarium spp.	0.8	1.23
	Rhizoctonia spp.	0.8	1.23
Wheat	Fusarium spp.	0.8	1.23
	Rhizoctonia spp.	0.8	1.23

#### Seed Labeling

Seed treated with CeraMax that is then packaged for future use must contain the following labeling on the outside of the seed package.

- · This seed has been treated with CeraMax.
- Do not use this treated seed for food, feed, or oil production.
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves when handling treated seed.
- Store treated seed away from food and feed.
- Do not allow access by children, pets, or livestock.
- · Do not reuse empty seed containers.
- · Store or dispose of surplus treated seed or empty seed containers according to local requirements.
- · Do not contaminate bodies of water when disposing of excess treated seed or wash waters from planting equipment.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep pesticide in original container. Store product away from direct sunlight between 40°F and 90°F.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration. If burned, stay out of smoke.

#### **Conditions of Sale and Warranty**

The Directions for use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product.

Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather or crop conditions, manner of use or application, presence of other material or other influencing factors in the use of the product, which are beyond the control of Ceradis B.V., the manufacturer or the seller. Buyer and User agree to hold Ceradis B.V. and Seller harmless for any claims relating to such factors, to the extent permitted by applicable law.

To the extent consistent with the applicable law, Ceradis B.V. makes no other warranties of merchantability or fitness for a particular purpose.

To the extent consistent with the applicable law, the exclusive remedy of the User or Buyer for any and all claims, losses, injuries or damage resulting from the use or handling of this product (including claims based on contract, warranty, negligence, strict liability, tort or otherwise) shall not exceed the purchase price paid by the User or Buyer for the quantity of this product involved.

To the extent consistent with the applicable law, in no event shall Ceradis B.V. or the Seller be liable for special, incidental or consequential damages resulting from the use, handling, application, storage or disposal of this product.

No agent or employee at Ceradis B.V. or seller is authorized to modify the terms of the warranty disclaimer or the product's label. Buyer and User accept the Conditions of Sale and Warranty by opening and using the product.

Rev May 20, 2021 Page 3